

Anonymous UUID: 793DB7EF-54CB-76EF-1C50-22FF58790FCA

Thu Mar 29 15:10:54 2018

\*\*\* Panic Report \*\*\*

panic(cpu 1 caller 0xfffff8004b6e339): Kernel trap at 0xfffff8004b65c40, type 14=page fault, registers:  
CR0: 0x0000000080010033, CR2: 0x0000000000000000, CR3: 0x0000000042b282064, CR4: 0x000000000001627e0  
RAX: 0xfffff802aaf64f0, RBX: 0x0000000000000000, RCX: 0x0000000000000007, RDX: 0x000000000000002c  
RSP: 0xfffff91f4e0bae0, RBP: 0xfffff91f4e0bb30, RSI: 0x0000000000000109, RDI: 0x0000000000000000  
R8: 0x0000000000000fff, R9: 0x0000000000000001, R10: 0xfffff802860ca58, R11: 0x0000000000000001  
R12: 0x00000000e00002bf, R13: 0x000000000000021b, R14: 0xfffff80250dc340, R15: 0xc0ffee0f0f51ace  
RFL: 0x0000000000010202, RIP: 0xfffff8004b65c40, CS: 0x0000000000000008, SS: 0x0000000000000010  
Fault CR2: 0x0000000000000000, Error code: 0x0000000000000000, Fault CPU: 0x1, PL: 0, VF: 0

Backtrace (CPU 1), Frame : Return Address

0xfffff91f4e0b590 : 0xfffff8004a4f606  
0xfffff91f4e0b5e0 : 0xfffff8004b7c654  
0xfffff91f4e0b620 : 0xfffff8004b6e149  
0xfffff91f4e0b6a0 : 0xfffff8004a01120  
0xfffff91f4e0b6c0 : 0xfffff8004a4f03c  
0xfffff91f4e0b7f0 : 0xfffff8004a4edbc  
0xfffff91f4e0b850 : 0xfffff8004b6e339  
0xfffff91f4e0b9d0 : 0xfffff8004a01120  
0xfffff91f4e0b9f0 : 0xfffff8004b65c40  
0xfffff91f4e0bb30 : 0xfffff80050cb0ad  
0xfffff91f4e0bb70 : 0xfffff80050c1414  
0xfffff91f4e0bcb0 : 0xfffff8004b28894  
0xfffff91f4e0bdc0 : 0xfffff8004a54c40  
0xfffff91f4e0be10 : 0xfffff8004a31cbd  
0xfffff91f4e0be60 : 0xfffff8004a44b7b  
0xfffff91f4e0bef0 : 0xfffff8004b5857d  
0xfffff91f4e0bfa0 : 0xfffff8004a01926

BSD process name corresponding to current thread: WindowServer

Mac OS version:

17D102

Kernel version:

Darwin Kernel Version 17.4.0: Sun Dec 17 09:19:54 PST 2017;

root:xnu-4570.41.2~1/RELEASE\_X86\_64

Kernel UUID: 18D901F1-4A03-3FF1-AE34-C26B2732F13C

Kernel slide: 0x0000000004600000

Kernel text base: 0xffffffff8004800000

\_\_HIB text base: 0xffffffff8004700000

System model name: iMac14,2 (Mac-27ADBB7B4CEE8E61)

System uptime in nanoseconds: 7766319128213

last loaded kext at 1068873076034: com.apple.nke.l2tp 1.9 (addr 0xffffffff7f883b2000, size 32768)

last unloaded kext at 310601687688: com.apple.filesystems.msdosfs 1.10 (addr 0xffffffff7f883a6000, size 61440)

loaded kexts:

org.virtualbox.kext.VBoxNetAdp 5.2.8

org.virtualbox.kext.VBoxNetFlt 5.2.8

org.virtualbox.kext.VBoxUSB 5.2.8

org.virtualbox.kext.VBoxDrv 5.2.8

com.apple.nke.l2tp 1.9

com.apple.filesystems.smbfs 3.2.1

com.apple.driver.AppleHWSensor 1.9.5d0

com.apple.driver.AGPM 110.23.30

com.apple.driver.ApplePlatformEnabler 2.7.0d0

com.apple.driver.X86PlatformShim 1.0.0

com.apple.filesystems.autofs 3.0

com.apple.driver.AppleMikeyHIDDriver 131

com.apple.driver.AppleHDA 280.12

com.apple.driver.AppleMikeyDriver 280.12

com.apple.AGDCPluginDisplayMetrics 3.16.2

com.apple.driver.AppleUpstreamUserClient 3.6.4

com.apple.GeForce 10.2.8

com.apple.driver.eficheck 1

com.apple.driver.AppleHV 1

com.apple.iokit.IOUserEthernet 1.0.1

com.apple.iokit.IOBluetoothSerialManager 6.0.2f2

com.apple.driver.AudioAUUC 1.70

com.apple.driver.pmtelemetry 1

com.apple.Dont\_Steal\_Mac\_OS\_X 7.0.0

com.apple.driver.AppleIntelHD5000Graphics 10.3.0

com.apple.driver.AppleLPC 3.1

com.apple.driver.AppleSMCLMU 211

com.apple.driver.AppleOSXWatchdog 1

com.apple.driver.AppleThunderboltIP 3.1.1

com.apple.driver.AppleIntelSlowAdaptiveClocking 4.0.0  
com.apple.driver.AppleIntelFramebufferAzul 10.3.0  
com.apple.driver.AppleBacklight 170.10.2  
com.apple.driver.AppleMCCSControl 1.5.3  
com.apple.filesystems.apfs 748.41.3  
com.apple.filesystems.hfs.kext 407.30.1  
com.apple.AppleFSCompression.AppleFSCompressionTypeDataless 1.0.0d1  
com.apple.BootCache 40  
com.apple.AppleFSCompression.AppleFSCompressionTypeZlib 1.0.0  
com.apple.driver.AirPort.BrcmNIC 1220.28.1a3  
com.apple.driver.AppleSDXC 1.7.6  
com.apple.iokit.AppleBCM5701Ethernet 10.3.1  
com.apple.driver.AppleAHCIPort 329  
com.apple.driver.AppleHPET 1.8  
com.apple.driver.AppleACPIButtons 6.1  
com.apple.driver.AppleRTC 2.0  
com.apple.driver.AppleSMBIOS 2.1  
com.apple.driver.AppleACPIEC 6.1  
com.apple.driver.AppleAPIC 1.7  
com.apple.nke.applicationfirewall 183  
com.apple.security.TMSafetyNet 8  
com.apple.security.quarantine 3  
com.apple.IOBufferCopyEngineTest 1  
com.apple.nke.ppp 1.9  
com.apple.iokit.IOUSBUserClient 900.4.1  
com.apple.kext.triggers 1.0  
com.apple.driver.DspFuncLib 280.12  
com.apple.kext.OSvKernDSPLib 526  
com.apple.nvidia.driver.NVDAGK100Hal 10.2.8  
com.apple.nvidia.driver.NVDAResman 10.2.8  
com.apple.driver.AppleSSE 1.0  
com.apple.iokit.IOSerialFamily 11  
com.apple.AppleGPUWrangler 3.16.2  
com.apple.driver.AppleHDAController 280.12  
com.apple.iokit.IOHDAFamily 280.12  
com.apple.driver.X86PlatformPlugin 1.0.0  
com.apple.driver.IOPlatformPluginFamily 6.0.0d8  
com.apple.driver.AppleThunderboltEDMSink 4.1.2  
com.apple.iokit.IOSlowAdaptiveClockingFamily 1.0.0  
com.apple.AppleGraphicsDeviceControl 3.16.21  
com.apple.iokit.IOAcceleratorFamily2 376.6  
com.apple.iokit.IOSurface 209.2.2  
com.apple.driver.AppleSMBusPCI 1.0.14d1  
com.apple.driver.AppleBacklightExpert 1.1.0  
com.apple.iokit.IONDRVSupport 517.22  
com.apple.driver.AppleSMBusController 1.0.18d1

com.apple.iokit.IOGraphicsFamily 517.22  
com.apple.iokit.BroadcomBluetoothHostControllerUSBTransport 6.0.2f2  
com.apple.iokit.IOBluetoothHostControllerUSBTransport 6.0.2f2  
com.apple.iokit.IOBluetoothHostControllerTransport 6.0.2f2  
com.apple.iokit.IOBluetoothFamily 6.0.2f2  
com.apple.driver.AppleUSBAudio 311.9  
com.apple.iokit.IOAudioFamily 206.5  
com.apple.vecLib.kext 1.2.0  
com.apple.driver.usb.IOUSBHostHIDDevice 1.2  
com.apple.driver.usb.AppleUSBHub 1.2  
com.apple.driver.usb.networking 5.0.0  
com.apple.driver.usb.AppleUSBHostCompositeDevice 1.2  
com.apple.filesystems.hfs.encodings.kext 1  
com.apple.driver.AppleThunderboltDPIInAdapter 5.0.2  
com.apple.driver.AppleThunderboltDPOutAdapter 5.0.2  
com.apple.driver.AppleThunderboltDPAdapterFamily 5.0.2  
com.apple.driver.AppleThunderboltPCIDownAdapter 2.1.3  
com.apple.driver.AppleThunderboltNHI 4.5.6  
com.apple.iokit.IOTThunderboltFamily 6.6.3  
com.apple.iokit.IOAHCIBlockStorage 301.40.2  
com.apple.iokit.IO80211Family 1200.12.2  
com.apple.driver.corecapture 1.0.4  
com.apple.iokit.IOEthernetAVBController 1.1.0  
com.apple.driver.mDNSOffloadUserClient 1.0.1b8  
com.apple.iokit.IOAHCIFamily 288  
com.apple.driver.usb.AppleUSBXHCIPCI 1.2  
com.apple.driver.usb.AppleUSBXHCI 1.2  
com.apple.driver.usb.AppleUSBHostPacketFilter 1.0  
com.apple.iokit.IOUSBFamily 900.4.1  
com.apple.driver.AppleEFINVRAM 2.1  
com.apple.driver.AppleUSBHostMergeProperties 1.2  
com.apple.driver.AppleEFIRuntime 2.1  
com.apple.iokit.IOHIDFamily 2.0.0  
com.apple.iokit.IOSMBusFamily 1.1  
com.apple.security.sandbox 300.0  
com.apple.kext.AppleMatch 1.0.0d1  
com.apple.iokit.IOBufferCopyEngineFamily 1  
com.apple.driver.DiskImages 480.30.2  
com.apple.driver.AppleFDEKeyStore 28.30  
com.apple.driver.AppleEffaceableStorage 1.0  
com.apple.driver.AppleKeyStore 2  
com.apple.driver.AppleUSBTDM 439.30.4  
com.apple.driver.AppleMobileFileIntegrity 1.0.5  
com.apple.iokit.IOUSBMassStorageDriver 140.30.1  
com.apple.iokit.IOSCSIBlockCommandsDevice 404.30.2  
com.apple.iokit.IOSCSIArchitectureModelFamily 404.30.2

com.apple.iokit.IOStorageFamily 2.1  
com.apple.driver.AppleCredentialManager 1.0  
com.apple.driver.KernelRelayHost 1  
com.apple.iokit.IOUSBHostFamily 1.2  
com.apple.driver.usb.AppleUSBCommon 1.0  
com.apple.driver.AppleBusPowerController 1.0  
com.apple.driver.AppleSEPManager 1.0.1  
com.apple.driver.IOSlaveProcessor 1  
com.apple.iokit.IOReportFamily 31  
com.apple.iokit.IOTimeSyncFamily650.5  
com.apple.iokit.IONetworkingFamily 3.4  
com.apple.driver.AppleACPIPlatform 6.1  
com.apple.driver.AppleSMCRTC 1.0  
com.apple.driver.AppleSMC 3.1.9  
com.apple.iokit.IOPCIFamily 2.9  
com.apple.iokit.IOACPIFamily1.4  
com.apple.kec.pthread 1  
com.apple.kec.Libm 1  
com.apple.kec.corecrypto 1.0

EOF

Model: iMac14,2, BootROM IM142.0123.B00, 4 processors, Intel Core i5, 3,2 GHz, 16 GB, SMC 2.15f7

Graphics: NVIDIA GeForce GT 755M, NVIDIA GeForce GT 755M, PCIe, 1 GB

Memory Module: BANK 0/DIMM0, 8 GB, DDR3, 1600 MHz, 0x80AD, 0x484D54343147533641465238412D50422020

Memory Module: BANK 1/DIMM0, 8 GB, DDR3, 1600 MHz, 0x80AD, 0x484D54343147533641465238412D50422020

AirPort: spairport\_wireless\_card\_type\_airport\_extreme (0x14E4, 0x111), Broadcom BCM43xx 1.0 (7.77.37.5.1a3)

Bluetooth: Version 6.0.2f2, 3 services, 27 devices, 1 incoming serial ports

Network Service: Ethernet, Ethernet, en0

Network Service: Wi-Fi, AirPort, en1

Serial ATA Device: APPLE SSD SM0512F, 500,28 GB

USB Device: USB 3.0 Bus

USB Device: BRCM20702 Hub

USB Device: Bluetooth USB Host Controller

USB Device: FaceTime HD Camera (Built-in)

USB Device: Advantage2 Keyboard

USB Device: G400s Optical Gaming Mouse

USB Device: Sennheiser USB headset

Thunderbolt Bus: iMac, Apple Inc., 23.10